

What is claimed is:

Sub G
13

1. An encoding apparatus for encoding a data which comprises a plurality of block data including a plurality of element data which are sequentially transferred in a form of a data stream, the encoding apparatus comprising a plurality of signal processing devices connected by a signal transfer means on which said data is transferred, each signal processing device comprising:

an encoding means for encoding a block data including a plurality of element data on the signal transfer means; and

a variable length coding means for carrying out a variable length coding of said encoded block data and outputting the variable length coded data via said signal transfer means in accordance with the data stream.

2. An encoding apparatus as set forth in claim 1, wherein each of said variable length coding means of said plurality of signal processing devices detects when the encoded data of the previous block data in said data stream has been subjected to variable length coding for the encoded data of the current block data encoded in that signal processing device and starts the variable length coding for the current encoded data after the substantial end of that variable length coding.

3. An encoding apparatus as set forth in claim 2,

wherein:

said data stream is image data,
each of said encoding means of said plurality
of signal processing devices carries out said encoding
5 for every block image data of a predetermined plurality
of block image data obtained by dividing said image data,
and

each of said variable length coding means of
said plurality of signal processing devices carries out
10 variable length coding on the encoded data for every said
block image data in a predetermined order based on the
arrangement of the block image data on said image data.

4. An encoding apparatus as set forth in claim 3,
wherein

15 each of said encoding means of said plurality
of signal processing devices comprises;

a motion compensation predicting means for
selectively carrying out motion compensation prediction
by referring to a reference image for every predetermined
20 block image data of said image data,

a transform means for carrying out a
predetermined transform with respect to pixel data of a
result of said motion compensation prediction or original
pixel data,

25 a quantizing means for quantizing the data

A3
cont'd

for every said block image data subjected to said transform, and

a local decoding means for decoding the data for every said quantized block image data to
5 generate the reference image to be supplied to said motion compensation predicting means, and

each of said variable length coding means of said plurality of signal processing devices carries out variable length coding on the data for every said
10 quantized block image data.

5. An encoding apparatus as set forth in claim 4, wherein said block image data is the image data for every macroblock.

6. An encoding apparatus as set forth in claim 4,
15 wherein said transform means of each of said encoding means carries out processing including an orthogonal transform including any of a discrete cosine transform (DCT), a Fourier transform, a Hadamard transform, and a K-L transform.

20 7. An encoding method for encoding a data stream having a plurality of element data, comprising the steps of:

dividing said data stream into a predetermined plurality of block data;

25 successively allotting said divided plurality

A3
cont'd
10

of block data to a plurality of signal processing devices;

5 encoding said allotted block data based on a predetermined method in each of said plurality of signal processing devices;

10 successively carrying out variable length coding on the encoded data in the same signal processing devices as those for the encoding so that the encoded data for every said block data encoded in said plurality of signal processing devices are successively subjected to the variable length coding according to the order in said data stream; and

15 successively allotting new block data to the signal processing devices for which said variable length coding is ended.

20 8. An encoding method as set forth in claim 7, wherein each of said plurality of signal processing devices detects when the encoded data of the previous block data in said data stream has been subjected to variable length coding for the encoded data of the current block data encoded at that signal processing device and starts the variable length coding of the current encoded data after that variable length coding has substantially ended.

25 9. An encoding method as set forth in claim 8,

A3,
cont'd

wherein

said data stream is image data,

said image data is divided into a predetermined plurality of block image data,

5 said divided plurality of block image data are successively allotted to a plurality of signal processing devices,

in each of said plurality of signal processing devices,

10 motion compensation prediction is selectively carried out for every said allotted block image data by referring to a reference image,

A3
cont'd
15 a predetermined transform is carried out with respect to the block image data of the result of said motion compensation prediction or original block image data,

the data for every said block image data subjected to said transform is quantized,

20 the end of the variable length coding with respect to the previous block image data in said image data for the current block image data is detected,

said quantized data are subjected to the variable length coding after the variable length coding with respect to said previous block image data is
25 substantially ended to generate the block image data

subjected to the variable length coding,

said quantized block image data are
decoded to generate the reference image to be supplied to
said motion compensation prediction

5 new block image data is successively
allotted with respect to said signal processing devices
for which said variable length coding has ended.

*A3
cont'd*
10 10. A decoding apparatus for decoding encoded and
variable length coded data which comprises a plurality of
block data including a plurality of element data in a
form of a data stream, the decoding apparatus comprising
a plurality of signal processing devices, each of the
signal processing devices comprising:

15 a variable length decoding means for
successively carrying out variable length decoding on
variable length coded block data in accordance with the
data stream; and

a decoding means for decoding said variable
length decoded block data.

20 11. A decoding apparatus as set forth in claim 10,
wherein each of said variable length decoding means of
said plurality of signal processing devices detects a
timing of which the variable length coded data of the
previous block data in said data stream has been
25 subjected to the variable length decoding for the

variable length coded data for the current block data and starts the variable length decoding of the current variable length coded data after the previous variable length decoding has substantially ended.

5 12. A decoding apparatus as set forth in claim 11,
 further comprising an allotting means for
 sequentially allotting the variable length coded data for
 every said block data of said encoded data stream to said
 plurality of signal processing devices, and

10 wherein each of said variable length decoding
 means of said plurality of signal processing devices
 starts the variable length decoding processing at said
 timing for the variable length coded data for every said
 block data allotted by said allotting means,

15 wherein each of said decoding means of said
 plurality of signal processing devices subsequently
 carries out the decoding of the related variable length
 decoded data after the end of the variable length
 decoding of the variable length coded data for every
20 block data in said variable length decoding means of the
 same signal processing device, and

 wherein said allotting means allots variable
 length coded data for every new block data to the signal
 processing devices for which said decoding is ended.

25 13. A decoding apparatus as set forth in claim 11,

A3
contd

wherein

said encoded data stream is a variable length
coded image data stream obtained by encoding image data
for every predetermined block image data and further
5 carrying out variable length coding,

*A3
cont'd*

each of the variable length decoding means of
said plurality of signal processing devices successively
carries out variable length decoding on the variable
length coded image data for every allotted block image
10 data, and

each of the decoding means of said plurality of
signal processing devices decodes the encoded image data
for every said block image data subjected to the variable
length decoding in said variable length decoding means of
15 the same signal processing device.

14. A decoding apparatus as set forth in claim 13,
wherein

each of decoding means of said plurality of
signal processing devices comprises
20 an inverse quantizing means for inverse
quantizing the encoded image data for every block image
data obtained by variable length decoding of said
variable length coded image data,

an inverse transform means for carrying
25 out an inverse transform for the predetermined transform

with respect to said inverse quantized data,

an image data generating means for
generating the original image data by referring to the
reference image according to need based on the data for
5 every said block image data subjected to said inverse
transform, and

A3
cont'd
a motion compensation processing means for
carrying out motion compensation processing based on the
data for every said block image data subjected to said
10 inverse transform or said original block image data
generated according to need to generate said reference
image.

15 15. A decoding apparatus as set forth in claim 14,
wherein said block image data is the image data for every
macroblock.

16. A decoding apparatus as set forth in claim 14,
wherein said inverse transform means of each of said
plurality of decoding means carries out the inverse
transform of the orthogonal transform including any of
20 discrete cosine transform (DCT), Fourier transform,
Hadamard transform, and K-L transform.

25 17. A decoding method for decoding a variable
length coded data stream obtained by encoding a data
stream having a plurality of element data for every
predetermined block data and further carrying out

variable length coding, comprising the steps of:

successively allotting the variable length coded data for every said block data successively arranged in said variable length coded data stream to a plurality of signal processing devices;

successively carrying out variable length decoding on the variable length coded data for every allotted block data so that the variable length decoding carried out in the plurality of signal processing devices is successively carried out according to the order of said block data in said data stream in each of said plurality of signal processing devices;

decoding the encoded data for every said block image data subjected to said variable length decoding in the same signal processing device in each of said plurality of signal processing devices; and

allotting variable length coded data of new block data to be decoded next to said signal processing devices for which said decoding is ended.

18. A decoding method as set forth in claim 17, wherein each of said plurality of signal processing devices detects when the variable length coded data of the previous block data in said data stream has been subjected to variable length decoding for the variable length coded data for every allotted block data and

A3
contd

starts the variable length decoding of that variable length coded data after that variable length decoding is substantially ended.

19. A decoding method as set forth in claim 18,
5 wherein

*A3
cont'd*
said variable length coded data stream is variable length coded image data obtained by encoding image data for every predetermined block image data and further carrying out variable length coding,

10 the variable length coded image data for every block image data successively arranged in said variable length coded image data is successively allotted to a plurality of signal processing devices,

15 in each of said plurality of signal processing devices,

the variable length coded image data for every allotted block image data is subjected to variable length decoding,

20 the encoded image data for every variable length decoded block image data is inversely quantized,

the inverse transform of the predetermined transform is carried out with respect to said inversely quantized data,

25 the original block image data is generated by referring to a reference image according to need based

motion compensation processing is carried out based on the data for every said block image data for which said inverse transform was carried out or said data generated according to need to generate said reference image.

5 which said inverse transform was carried out on said data
generated according to need to generate said reference
image.

1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------